



SWEEPERS - WALK BEHIND



712

The 512/712 Vacuum Sweepers represent a revolution in the vacuum sweeping of carpets and hard surface floors. With built-in battery chargers, large debris litter gates, and battery run times of up to 4.5 hours, they bring a new level of productivity to floor maintenance.

MAX PRODUCTIVITY

BATTERY RUN TIME

NOISE LEVEL

35,000 ft²/h 4.0 h

36" cleaning path

17 gal capacity

MOST FREQUENT USE

RETAIL



HOSPITALITY



CLEANING CONTRACTORS



EDUCATION



ELECTRIC FILTER SHAKER



LARGE FRONTAL WASTE TRAY




EASY MAINTENANCE





SLS™ SELF-LEVELLING SYSTEM

SLS™ System can be electric or mechanical and allows great cleaning performances thanks to a constant pressure on the floor.



SOFT SURFACE CLEANING

Electronical or mechanical system that allows great cleaning performances thanks to a constant pressure on the floor.





Other Features

- Self cleaning filter system providing optimum vacuum performance
- Main brush pressure adjustment with great dust control
- Dust flap for large debris collection
- Easy to use control panel
- Great working visibility
- Designed to assure minimum noise levels
- Dust filter replacement without tools
- Easy access to motor compartment
- Heavy duty chassis in fully coated steel
- Maximum protection against impact
- Panel control switches protected against water and humidity
- Battery level indicator
- On board charger

PRODUCTIVITY

| | | |
|------------------------------|-------------------------------------|------------------------------|
| Max theoretical productivity | ft ² /h - m ² | 35,000/ 3,239 m ² |
| Max working width | in/mm | 36 in/ 900 mm |
| Hopper volume | Gal/ l | 17 gal/ 65 l |
| Weight | lbs/ kg | 187 lbs/ 85 kg |
| Noise level | dB | 55 dBa |
| Run time | min | 170 |

AVAILABLE ACCESSORIES

145 AH BATTERY
12V145



100 AGM BATTERY
12V100-AGM



140 AGM BATTERY
12V140-AGM



PRE-FILTER
T8PF5



BATTERY WATERING SYSTEM
CR-BWS-S-2



GET RIGHT SIZED

| | Description | Continuous run-time | Theoretical ft ² / h | Maximum Theoretical ft ² /charge | Ft ² charge efficiency (70%) |
|-------|-------------------|---------------------|---------------------------------|---|---|
| 712ET | 145ah Battery | 3.5 | 34,865 | 122,028 | 85,420 |
| 712ET | 100ah AGM Battery | 2.8 | 34,865 | 97,622 | 68,335 |
| 712ET | 140ah AGM Battery | 4.0 | 34,865 | 138,740 | 97,118 |

(844) 432-4724
fairchildequipment.com

